

Docket No.: 251319US3



Date Allowed: AUGUST 10, 2005

COMMISSIONER FOR PATENTS
ALEXANDRIA, VIRGINIA 22313



ATTORNEYS AT LAW

GREGORY J. MAIER
(703) 413-3000
GMAIER@OBLON.COM

CHRISTOPHER D. WARD
SENIOR ASSOCIATE
(703) 413-3000
CWARD@OBLON.COM

RE: Application Serial No.: 10/813,397
Applicants: Chiyuki NAKAMATA, et al.
Filing Date: March 31, 2004
For: COOLED TURBINE COMPONENT AND
COOLED TURBINE BLADE
Group Art Unit: 3745
Examiner: NGUYEN, N.

SIR:

Attached hereto for filing are the following papers:

COMMENTS ON STATEMENT OF REASONS FOR ALLOWANCE

Our check in the amount of \$0 is attached covering any required fees. In the event any variance exists between the amount enclosed and the Patent Office charges for filing the above-noted documents, including any fees required under 37 C.F.R. 1.136 for any necessary Extension of Time to make the filing of the attached documents timely, please charge or credit the difference to our Deposit Account No. 15-0030. Further, if these papers are not considered timely filed, then a petition is hereby made under 37 C.F.R. 1.136 for the necessary extension of time. A duplicate copy of this sheet is enclosed.

Respectfully submitted,

OBLON, SPIVAK, McCLELLAND,
MAIER & NEUSTADT, P.C.

Gregory J. Maier
Registration No. 25,599

Customer Number

22850

(703) 413-3000 (phone)
(703) 413-2220 (fax)

Christopher D. Ward
Registration No. 41,367



DOCKET NO.: 251319US3

IN THE UNITED STATES PATENT & TRADEMARK OFFICE

IN RE APPLICATION OF: :
Chiyuki NAKAMATA, et al. : EXAMINER: NGUYEN, N.
SERIAL NO: 10/813,397 : DATE ALLOWED: AUGUST 10, 2005
FILED: MARCH 31, 2004 : GROUP ART UNIT: 3745
FOR: COOLED TURBINE :
COMPONENT AND COOLED
TURBINE BLADE

COMMENTS ON STATEMENT OF REASONS FOR ALLOWANCE

COMMISSIONER FOR PATENTS
ALEXANDRIA, VA 22313-1450

SIR:

The following comment is in response to the Statement of Reasons for Allowance provided in the Notice of Allowability dated August 10, 2005.

The Statement of Reasons For Allowance included on page 2 of the Notice of Allowability suggests that the claims are allowable because the prior art does not teach or suggest “a partition wall provided on the bottom surface of the outlet side of the film cooling hole extending from the outlet side to the inlet side of the film cooling hole.” However, the Applicants note that independent Claim 4 does not recite such language. Instead, Claim 4 recites “a partition wall which is provided on the outlet side *of a bottom side of a bottom wall* of the film cooling hole, and the wall is extended to the inlet side from the outlet side *of the blade body....*” (Emphasis added for clarity.)


The Applicants submit that the Examiner’s Statement does not accurately reflect the above portions of allowed Claim 4 and the claims that depend therefrom. Accordingly, it is

Application Serial No.: 10/813,397
Chiyuki NAKAMATA, et al.

respectfully submitted that the Statement of Reasons for Allowance is only applicable to the allowed claims to the degree that is accurately reflects the subject matter recited in the allowed claims, and that the claims are not limited by inaccuracies in the statement.

Respectfully Submitted,

OBLON, SPIVAK, McCLELLAND,
MAIER & NEUSTADT, P.C.



Gregory J. Maier
Registration No. 25,599
Attorney of Record

Christopher D. Ward
Registration No. 41,367

Customer Number

22850

Tel. (703) 413-3000
Fax. (703) 413-2220
(OSMMN 10/01)

GJM:CDW:brf

I:\atty\cdw\25xxxx\251319US3\Comments on Statement of Reasons for Allowance.doc